

## Author Index of Volume 154

---

- Alassoeur, P., 11  
Andrieu, E., 21
- Bahadur, D., 79  
Barinov, S. M., L11  
Baxter, W. J., 109  
Bhadeshia, H. K. D. H., 197  
Bourda, C., 183  
Bush, M. B., 139
- Case, E. D., 1, 207  
Chang, Y. H., 215  
Chawla, K. K., 103  
Chen, R. T., 51  
Chieragatti, R., L5  
Chiu, C. C., 207  
Clyne, T. W., 111  
Coffey, D., 103  
Cohen, J. B., 155  
Condat, M., 183
- Decamps, B., 183  
Du, X., 197  
Duh, S. L., 215
- Ferber, M. K., 103  
Fernando, J. A., 103  
Franco, S. D., 175
- Gemperlová, J., 113  
Ghonem, H., 21  
Grujicic, M., 75  
Gutkin, M. Yu., L9
- Hájek, M., L15  
Hautefeuille-Beylat, L., 183  
Honjo, K., 149  
Hsueh, C. H., 125
- Jeng, S. M., 11
- Kim, H. J., 35  
Kim, Y. G., L1  
Kobayashi, T., 35  
Köster, U., 193
- Lee, S., 133  
Lee, W. J., 1  
Lejček, P., 113  
Lesuer, D. R., 165  
Lin, G. C., 51  
Liu, W., 193
- Magnin, T., L5  
Massler, O., L19  
Meier, M. L., 165  
de Mello, J. D. B., 175  
Miyamoto, Y., 93  
Molins, R., 21  
Mukherjee, A. K., 165  
Murakami, K., 93
- Obtlik, K., L15  
Ochiai, S., 149  
Okamoto, T., 93  
Osamura, K., 149  
Ovid'ko, I. A., 29, L9  
Oyama, T., 133
- Padmanabhan, K. A., 69  
Paidar, V., 113  
Phaniraj, C., 69  
Pineau, A., 21  
Polák, J., L15  
Puig, T., 183
- Raghunathan, V. S., 59  
Rodriguez, P., 69  
Roy, M., 79
- Saroja, S., 59  
Senftleben, K. U., L19  
Serra, J. J., 183  
Sherby, O. D., 133  
Singh, K., 79  
Sivaprasad, P. V., 69  
Sockel, H. G., L19  
Sun, Z., 85
- Takuno, N., 93  
Thomas, T., 183  
Thomson, R. C., 197  
Tsai, D. S., 215
- Vášek, A., L15  
Venkadesan, S., 69  
Vijayalakshmi, M., 59  
Vitek, V., 113
- Wadsworth, J., 133  
Wang, S. C., 43  
Weng, C. C., 51  
Whiteman, J. A., 197  
Winholtz, R. A., 155
- Yang, J. M., 11  
Yang, J. P., L1  
Yang, J. R., 43  
Yang, S. J., 215  
Yen, T. F., 215  
Yoon, E. P., 35  
Yoon, H. S., 35

## Subject Index of Volume 154

- Abrasion**  
an investigation of the abrasive wear of Al-Si alloys with the aid of Upsala's pendulum, 175
- Acoustic emission**  
acoustic emission characterization of a medium strength steel during hydrogen permeation processes, 51
- Alloys**  
an investigation of the abrasive wear of Al-Si alloys with the aid of Upsala's pendulum, 175  
eutectoid decomposition of the icosahedral quasicrystals in melt-spun  $\text{Al}_{65}\text{Cu}_{20}\text{Cr}_{15}$  alloys, 193  
ferromagnetic icosahedral Al-Cu-Mn-Ge alloy by mechanical alloying, 79  
fracture mechanisms of fiber-reinforced titanium alloy matrix composites  
V: Fatigue crack propagation, 11  
intergranular crack tip oxidation mechanism in a nickel-based superalloy, 21  
micromechanical fracture process of SiC-particle reinforced aluminium alloy 6061-T6 metal matrix composites, 35  
temperature rise of rapidly solidified deposit layers of Al-Si alloys during low pressure plasma spraying and its effect on their structures and mechanical properties, 93
- Aluminium**  
an investigation of the abrasive wear of Al-Si alloys with the aid of Upsala's pendulum, 175  
design of Ti-Al-V  $\beta$  phase for transformation toughening of  $\gamma$  titanium aluminide, 75  
eutectoid decomposition of the icosahedral quasicrystals in melt-spun  $\text{Al}_{65}\text{Cu}_{20}\text{Cr}_{15}$  alloys, 193  
ferromagnetic icosahedral Al-Cu-Mn-Ge alloy by mechanical alloying, 79  
growth of inversion domains in oxygen-rich aluminium nitride, L19  
micromechanical fracture process of SiC-particle reinforced aluminium alloy 6061-T6 metal matrix composites, 35  
temperature rise of rapidly solidified deposit layers of Al-Si alloys during low pressure plasma spraying and its effect on their structures and mechanical properties, 93  
the effect of cycling on the stress corrosion cracking mechanisms of a 8090 Al-Li-Cu alloy, L5  
the effects of the  $\gamma/\beta$  phase proportion on the superplasticity of Ti-6Al-4V and iron-modified Ti-6Al-4V, 165
- Annealing**  
cyclic softening in annealed polycrystalline copper, L15
- Austenite**  
effects of chemical composition, rolling and cooling conditions on the amount of martensite/austenite (M/A) constituent formation in low carbon bainitic steels, 43  
flow transients during strain rate jump tests in a titanium-modified austenitic stainless steel, 69
- $\beta$  phase**  
design of Ti-Al-V  $\beta$  phase for transformation toughening of  $\gamma$  titanium aluminide, 75
- Bainite**  
effects of chemical composition, rolling and cooling conditions on the amount of martensite/austenite (M/A) constituent formation in low carbon bainitic steels, 43
- Boron**  
effect of boron nitride coating on tensile strength of Nextel 480\* fiber, 103
- Boron nitride coatings**  
effect of boron nitride coating on tensile strength of Nextel 480\* fiber, 103
- Brass**  
impact properties of a laminated composite based on ultra-high carbon steel and brass, 133
- Brittle materials**  
comparison of saturation behavior of thermal shock damage in a variety of brittle materials, 1
- Carbides**  
modelling the carbide composition changes in  $\frac{1}{2}\text{Cr}_2\text{Mo}_4\text{V}$  steel during long-term tempering, 197
- Carbon**  
effects of chemical composition, rolling and cooling conditions in the amount of martensite/austenite (M/A) constituent formation in low carbon bainitic steels, 43  
impact properties of a laminated composite based on ultra-high carbon steel and brass, 133  
influence of solution treatment on the microstructure of a 9wt.%Cr-1wt.%Mo-0.07wt.%C steel, 59  
micromechanical fracture process of SiC-particle reinforced aluminium alloy 6061-T6 metal matrix composites, 35
- Ceramics**  
high-temperature fracture behavior of porous zirconia ceramics, L11  
LiF-film-assisted diffusion bonding of  $\text{MgF}_2$  ceramics, 215
- Chromium**  
eutectoid decomposition of the icosahedral quasicrystals in melt-spun  $\text{Al}_{65}\text{Cu}_{20}\text{Cr}_{15}$  alloys, 193  
influence of solution treatment on the microstructure of a 9wt.%Cr-1wt.%Mo-0.07wt.%C steel, 59  
modelling the carbide composition changes in  $\frac{1}{2}\text{Cr}_2\text{Mo}_4\text{V}$  steel during long-term tempering, 197  
tensile properties and shape memory effect of chromium-varied Fe-30Mn-5Si-Cr shape memory alloys, L1
- Coating layers**  
influence of fracture of coating layer on fiber strength, 149
- Composites**  
an investigation of two- and three-dimensional models for predicting the elastic properties of particulate- and whisker-reinforced composite materials, 139  
fracture mechanisms of fiber-reinforced titanium alloy matrix composites  
V: Fatigue crack propagation, 11  
impact properties of a laminated composite based on ultra-high carbon steel and brass, 133  
interfacial debonding and fiber pull-out stresses of fiber-reinforced composites  
VII: improved analyses for bonded interfaces, 125
- Composition**  
modelling the carbide composition changes in  $\frac{1}{2}\text{Cr}_2\text{Mo}_4\text{V}$  steel during long-term tempering, 197
- Copper**  
cyclic softening in annealed polycrystalline copper, L15

- eutectoid decomposition of the icosahedral quasicrystals in melt-spun  $\text{Al}_{65}\text{Cu}_{20}\text{Cr}_{15}$  alloys, 193
  - ferromagnetic icosahedral Al-Cu-Mn-Ge alloy by mechanical alloying, 79
  - the effect of cycling on the stress corrosion cracking mechanisms of a 8090 Al-Li-Cu alloy, L5
- Corrosion
  - the effect of cycling on the stress corrosion cracking mechanisms of a 8090 Al-Li-Cu alloy, L5
- Crack propagation
  - fracture mechanisms of fiber-reinforced titanium alloy matrix composites
    - V: Fatigue crack propagation, 11
- Crack susceptibility
  - a study of solidification crack susceptibility using the solidification cycle hot-tension test, 85
- Crack tip oxidation
  - intergranular crack tip oxidation mechanism in a nickel-based superalloy, 21
- Cracking
  - the effect of cycling on the stress corrosion cracking mechanisms of a 8090 Al-Li-Cu alloy, L5
- Cyclic softening
  - cyclic softening in annealed polycrystalline copper, L15
- Debonding
  - interfacial debonding and fiber pull-out stresses of fiber-reinforced composites
    - VII: improved analyses for bonded interfaces, 125
- Decay
  - plastic deformation and decay of dislocations in quasicrystals, 29
- Decomposition
  - eutectoid decomposition of the icosahedral quasicrystals in melt-spun  $\text{Al}_{65}\text{Cu}_{20}\text{Cr}_{15}$  alloys, 193
- Deformation
  - deformation of a  $\gamma/\gamma'$  waspaloy after laser shock, 183
- Degradation
  - computer simulation of the quench-induced strength degradation in glass plates, 207
- Deposit layers
  - temperature rise of rapidly solidified deposit layers of Al-Si alloys during low pressure plasma spraying and its effect on their structures and mechanical properties, 93
- Diffusion
  - LiF-film-assisted diffusion bonding of  $\text{MgF}_2$  ceramics, 215
- Dislocations
  - plastic deformation and decay of dislocations in quasicrystals, 29
- Elasticity
  - an investigation of two- and three-dimensional models for predicting the elastic properties of particulate; and whisker-reinforced composite materials, 139
- Fatigue
  - changes in the macrostresses and microstresses in steel with fatigue, 155
- Ferromagnets
  - ferromagnetic icosahedral Al-Cu-Mn-Ge alloy by mechanical alloying, 79
- Fibers
  - fracture mechanisms of fiber-reinforced titanium alloy matrix composites
    - V: Fatigue crack propagation, 11
- Fibre-reinforced composites
  - interfacial debonding and fiber pull-out stresses of fiber-reinforced composites
    - VII: improved analyses for bonded interfaces, 125
- Fibres
  - effect of boron nitride coating on tensile strength of Nextel 480\* fiber, 103
  - influence of fracture of coating layer on fiber strength, 149
- Fluorine
  - LiF-film-assisted diffusion bonding of  $\text{MgF}_2$  ceramics, 215
- Fracture
  - fracture mechanisms of fiber-reinforced titanium alloy matrix composites
    - V: Fatigue crack propagation, 11
  - high-temperature fracture behavior of porous zirconia ceramics, L11
  - influence of fracture of coating layer on fiber strength, 149
  - micromechanical fracture process of SiC-particle reinforced aluminium alloy 6061-T6 metal matrix composites, 35
- Germanium
  - ferromagnetic icosahedral Al-Cu-Mn-Ge alloy by mechanical alloying, 79
- Glass
  - computer simulation of the quench-induced strength degradation in glass plates, 207
- Grain boundary structure
  - a report on the current research on grain boundary structure and chemistry, 113
- Hot-tension testing
  - a study of solidification crack susceptibility using the solidification cycle hot-tension test, 85
- Hydrogen
  - acoustic emission characterization of a medium strength steel during hydrogen permeation processes, 51
- Impact testing
  - impact properties of a laminated composite based on ultra-high carbon steel and brass, 133
- Interfaces
  - interfacial debonding and fiber pull-out stresses of fiber-reinforced composites
    - VII: improved analyses for bonded interfaces, 125
- Inversion domain boundaries
  - growth of inversion domains in oxygen-rich aluminium nitride, L19
- Iron
  - tensile properties and shape memory effect of chromium-varied Fe-30Mn-5Si-Cr shape memory alloys, L1
  - the effects of the  $\alpha/\beta$  phase proportion on the superplasticity of Ti-6Al-4V and iron-modified Ti-6Al-4V, 165
- Laminating
  - impact properties of a laminated composite based on ultra-high carbon steel and brass, 133
- Laser shock
  - deformation of a  $\gamma/\gamma'$  waspaloy after laser shock, 183
- Lithium
  - LiF-film-assisted diffusion bonding of  $\text{MgF}_2$  ceramics, 215
  - the effect of cycling on the stress corrosion cracking mechanisms of a 8090 Al-Li-Cu alloy, L5
- Macrostresses
  - changes in the macrostresses and microstresses in steel with fatigue, 155



- Magnesium**  
LiF-film-assisted diffusion bonding of  $\text{MgF}_2$  ceramics, 215
- Manganese**  
ferromagnetic icosahedral Al-Cu-Mn-Ge alloy by mechanical alloying, 79  
tensile properties and shape memory effect of chromium-varied Fe-30Mn-5Si-Cr shape memory alloys, L1
- Martensite**  
effects of chemical composition, rolling and cooling conditions on the amount of martensite/austenite (M/A) constituent formation in low carbon bainitic steels, 43
- Melt spinning**  
eutectoid decomposition of the icosahedral quasicrystals in melt-spun  $\text{Al}_{65}\text{Cu}_{20}\text{Cr}_{15}$  alloys, 193
- Metals**  
on the rotational effect in shock-loaded metals, L9
- Microstresses**  
changes in the macrostresses and microstresses in steel with fatigue, 155
- Molybdenum**  
influence of solution treatment on the microstructure of a 9wt.%Cr-1wt.%Mo-0.07wt.%C steel, 59  
modelling the carbide composition changes in  $\frac{1}{2}\text{Cr}\frac{1}{2}\text{Mo}\frac{1}{4}\text{V}$  steel during long-term tempering, 197
- Nickel**  
intergranular crack tip oxidation mechanism in a nickel-based superalloy, 21
- Nitrogen**  
effect of boron nitride coating on tensile strength of Nextel 480\* fiber, 103  
growth of inversion domains in oxygen-rich aluminium nitride, L19
- Oxygen**  
growth of inversion domains in oxygen-rich aluminium nitride, L19
- Particle reinforcement**  
micromechanical fracture process of SiC-particle reinforced aluminium alloy 6061-T6 metal matrix composites, 35
- Particulate reinforcement**  
an investigation of two- and three-dimensional models for predicting the elastic properties of particulate- and whisker-reinforced composite materials, 139
- Permeation**  
acoustic emission characterization of a medium strength steel during hydrogen permeation processes, 51
- Plasma spraying**  
temperature rise of rapidly solidified deposit layers of Al-Si alloys during low pressure plasma spraying and its effect on their structures and mechanical properties, 93
- Plastic deformation**  
plastic deformation and decay of dislocations in quasicrystals, 29
- Polycrystals**  
cyclic softening in annealed polycrystalline copper, L15
- Quasicrystals**  
plastic deformation and decay of dislocations in quasicrystals, 29
- Quenching**  
computer simulation of the quench-induced strength degradation in glass plates, 207
- Rapid solidification**  
temperature rise of rapidly solidified deposit layers of Al-Si alloys during low pressure plasma spraying and its effect on their structures and mechanical properties, 93
- Rotational effects**  
on the rotational effect in shock-loaded metals, L9
- Saturation**  
comparison of saturation behavior of thermal shock damage in a variety of brittle materials, 1
- Shape memory effect**  
tensile properties and shape memory effect of chromium-varied Fe-30Mn-5Si-Cr shape memory alloys, L1
- Shock loading**  
on the rotational effect in shock-loaded metals, L9
- Silicon**  
an investigation of the abrasive wear of Al-Si alloys with the aid of Upsala's pendulum, 175  
micromechanical fracture process of SiC-particle reinforced aluminium alloy 6061-T6 metal matrix composites, 35  
temperature rise of rapidly solidified deposit layers of Al-Si alloys during low pressure plasma spraying and its effect on their structures and mechanical properties, 93  
tensile properties and shape memory effect of chromium-varied Fe-30Mn-5Si-Cr shape memory alloys, L1
- Solidification**  
a study of solidification crack susceptibility using the solidification cycle hot-tension test, 85
- Solution treatment**  
influence of solution treatment on the microstructure of a 9wt.%Cr-1wt.%Mo-0.07wt.%C steel, 59
- Stainless steel**  
flow transients during strain rate jump tests in a titanium-modified austenitic stainless steel, 69
- Steel**  
changes in the macrostresses and microstresses in steel with fatigue, 155  
impact properties of a laminated composite based on ultra-high carbon steel and brass, 133  
modelling the carbide composition changes in  $\frac{1}{2}\text{Cr}\frac{1}{2}\text{Mo}\frac{1}{4}\text{V}$  steel during long-term tempering, 197
- Steels**  
acoustic emission characterization of a medium strength steel during hydrogen permeation processes, 51  
effects of chemical composition, rolling and cooling conditions on the amount of martensite/austenite (M/A) constituent formation in low carbon bainitic steels, 43  
flow transients during strain rate jump tests in a titanium-modified austenitic stainless steel, 69  
influence of solution treatment on the microstructure of a 9wt.%Cr-1wt.%Mo-0.07wt.%C steel, 59
- Strain rate**  
flow transients during strain rate jump tests in a titanium-modified austenitic stainless steel, 69
- Stress**  
interfacial debonding and fiber pull-out stresses of fiber-reinforced composites  
VII: improved analyses for bonded interfaces, 125  
the effect of cycling on the stress corrosion cracking mechanisms of a 8090 Al-Li-Cu alloy, L5
- Superplasticity**  
the effects of the  $\alpha/\beta$  phase proportion on the superplasticity of Ti-6Al-4V and iron-modified Ti-6Al-4V, 165

**Tensile properties**

tensile properties and shape memory effect of chromium-varied Fe-30Mn-5Si-Cr shape memory alloys, L1

**Tensile strength**

effect of boron nitride coating on tensile strength of Nextel 480\* fiber, 103

**Thermal shock damage**

comparison of saturation behavior of thermal shock damage in a variety of brittle materials, 1

**Titanium**

design of Ti-Al-V  $\beta$  phase for transformation toughening of  $\gamma$  titanium aluminide, 75

flow transients during strain rate jump tests in a titanium-modified austenitic stainless steel, 69

fracture mechanisms of fiber-reinforced titanium alloy matrix composites

V: Fatigue crack propagation, 11

the effects of the  $\alpha/\beta$  phase proportion on the superplasticity of Ti-6Al-4V and iron-modified Ti-6Al-4V, 165

**Upsala's pendulum**

an investigation of the abrasive wear of Al-Si alloys with the aid of Upsala's pendulum, 175

**Vanadium**

design of Ti-Al-V  $\beta$  phase for transformation toughening of  $\gamma$  titanium aluminide, 75

modelling the carbide composition changes in  $\frac{1}{2}\text{Cr}\frac{1}{2}\text{Mo}\frac{1}{4}\text{V}$  steel during long-term tempering, 197

the effects of the  $\alpha/\beta$  phase proportion on the superplasticity of Ti-6Al-4V and iron-modified Ti-6Al-4V, 165

**Wear**

an investigation of the abrasive wear of Al-Si alloys with the aid of Upsala's pendulum, 175

**Whisker reinforcement**

an investigation of two- and three-dimensional models for predicting the elastic properties of particulate- and whisker-reinforced composite materials, 139

**Zirconia**

high-temperature fracture behavior of porous zirconia ceramics, L11

